

Groups	Source of problem	Explained
	3/3/2015	
Jason and Co.	Resin	resin is breaking the circuit
Hokup and Co.	Resin	resin is breaking the circuit
Sebouh and Co.	Resin	resin is breaking the circuit
Max and Co.	Wires	Not good connection to switch
Rihanna and Co.	Solder connections, Hot glue	Connections not strong enough
Eric and Co.	Resin, Wires	resin is breaking the circuit
James and Co.	Pressure	
Ara and Co.	Resin	affecting the circuit

	3/4/2015	
Battery	Solution	
Jason and Co.	Elec. Tape on battery	
Hokup and Co.	Elec. Tape on battery	
Sebouh and Co.	Elec. Tape on battery	
Max and Co.	Ceramic insulator	
Rihanna and Co.	Elec. Tape on battery	
Eric and Co.	Silly putty as insulator	
James and Co.	Hot Glue	
Ara and Co.		
Mr.T	Washers from OSH	

Solution

Have wires exposed do connections later

Electrical tape and second mold to decrease hardening time

Ciran rap the circuits

Wire can touch leg of switch and it didn't work

Quality control check wires

Ciran rap the circuits, solid core wire not braded

Watch the LED's as the resin hardens

Wire can touch leg of switch and it didn't work